



109 Independence Way  
 Coatesville, PA 19320  
 P: 610-857-2655  
 F: 610-857-2986  
 graphics@uticom.net  
 www.uticom.net

Part # U4040YB-EG-LEGEND  
 U2400 Reflective Material  
 All graphics print reflective yellow  
 on black background.

© Uticom Systems Inc. 2014  
 Proprietary and confidential information contained in this drawing is property of Uticom Systems Inc. and is only intended to be viewed by the end user or authorized distributor. Any reproduction in part or as a whole is strictly prohibited unless approved in writing by Uticom Systems, Inc.


Please review this drawing for accuracy. Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



U4040YB-EG-A



U4040YB-EG-B



U4040YB-EG-C

1/4" round corners

4"



U4040YB-EG-1



U4040YB-EG-2



U4040YB-EG-3

4"

1/4" holes,  
 1/2" from center  
 of hole to edge.



U4040YB-EG-X



U4040YB-EG-Y



U4040YB-EG-Z

**U2400 Material:** .090" UV Grade Polycarbonate, subsurface printed using automotive grade solvent based ink, utilizing a 158 mesh silk screen.  
**Durability:** Minimum lifetime exterior durability of 25-30 years with proper surface preparation. Defective materials will be replaced at no charge.



109 Independence Way  
 Coatesville, PA 19320  
 P: 610-857-2655  
 F: 610-857-2986  
 graphics@uticom.net  
 www.uticom.net

Part # U4040YB-LEGEND  
 U2200 Material  
 All graphics print yellow on black background.

© Uticom Systems Inc. 2014  
 Proprietary and confidential information contained in this drawing is property of Uticom Systems Inc. and is only intended to be viewed by the end user or authorized distributor. Any reproduction in part or as a whole is strictly prohibited unless approved in writing by Uticom Systems, Inc.

Please review this drawing for accuracy. Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



U4040YB-A



U4040YB-B



U4040YB-C

1/4" round corners

4"



U4040YB-1



U4040YB-2



U4040YB-3

4"

1/4" holes,  
 1/2" from center  
 of hole to edge.



U4040YB-X



U4040YB-Y



U4040YB-Z

**U2200 Material:** .090" UV Grade Polycarbonate, subsurface printed using automotive grade solvent based ink, utilizing a 158 mesh silk screen.  
**Durability:** Minimum lifetime exterior durability of 25-30 years with proper surface preparation. Defective materials will be replaced at no charge.



109 Independence Way  
 Coatesville, PA 19320  
 P: 610-857-2655  
 F: 610-857-2986  
 graphics@uticom.net  
 www.uticom.net

Part # U6060YB-EG-LEGEND  
 U2400 Reflective Material  
 All graphics print reflective  
 yellow on black background.

© Uticom Systems Inc. 2014  
 Proprietary and confidential information contained in this drawing is property of Uticom Systems Inc. and is only intended to be viewed by the end user or authorized distributor. Any reproduction in part or as a whole is strictly prohibited unless approved in writing by Uticom Systems, Inc.

Please review this drawing for accuracy. Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



U6060YB-EG-A



U6060YB-EG-B



U6060YB-EG-C

1/4" round corners 6"



6"



U606YB-EG-2



U6060YB-EG-3

1/4" holes, 1/2" from center of hole to edge.



U6060YB-EG-X



U6060YB-EG-Y



U6060YB-EG-Z

**U2400 Material:** .090" UV Grade Polycarbonate, surface laminated with 3M™ Engineer Grade reflective sheeting, surface printed using automotive grade solvent based ink, utilizing a 158 mesh silk screen.

**Durability:** Minimum lifetime exterior durability of 25-30 years with proper surface preparation. Defective materials will be replaced at no charge.



109 Independence Way  
 Coatesville, PA 19320  
 P: 610-857-2655  
 F: 610-857-2986  
 graphics@uticom.net  
 www.uticom.net

Part # U6060YB-LEGEND  
 U2200 Material  
 All graphics print yellow on  
 black background.

© Uticom Systems Inc. 2014  
 Proprietary and confidential information contained in this drawing is property of Uticom Systems Inc. and is only intended to be viewed by the end user or authorized distributor. Any reproduction in part or as a whole is strictly prohibited unless approved in writing by Uticom Systems, Inc.

Please review this drawing for accuracy. Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



U6060YB-A



U6060YB-B



U6060YB-C

1/4" round corners 6"



6"

U6060YB-1



U606YB-2



U6060YB-3

1/4" holes,  
 1/2" from center  
 of hole to edge.



U6060YB-X



U6060YB-Y



U6060YB-Z

**U2200 Material:** .090"UV Grade Polycarbonate, subsurface printed using automotive grade solvent based ink, utilizing a 158 mesh silk screen.  
**Durability:** Minimum lifetime exterior durability of 25-30 years with proper surface preparation. Defective materials will be replaced at no charge.