




109 Independence Way  
 Coatesville, PA 19320  
 P: 610-857-2655  
 F: 610-857-2986  
 graphics@uticom.net  
 www.uticom.net

Part # U18338YB-LEGEND  
 U2300 Material  
 Phase Markers with 6 slots  
 All graphics print yellow on  
 black background.

© Uticom Systems Inc. 2014  
 Proprietary and confidential information contained in this drawing is property of Uticom Systems Inc. and is only intended to be viewed by the end user or authorized distributor. Any reproduction in part or as a whole is strictly prohibited unless approved in writing by Uticom Systems, Inc.

Please review this drawing for accuracy. Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



U18338YB-A



U18338YB-B



U18338YB-C



U18338YB-1



U18338YB-2



U18338YB-3



U18338YB-X



U18338YB-Y



U18338YB-Z

**U2300 Material:** 0.015" polycarbonate. Subsurfacely printed using automotive grade solvent based ink, thickness dry .0004" +/- .0001" with 30 micron emulsion, applied using a 158 mesh screen. Short term UV cured ink are not acceptable.  
**Durability:** Minimum lifetime exterior durability of 20-25 years. Defective materials will be replaced at no charge.




109 Independence Way  
 Coatesville, PA 19320  
 P: 610-857-2655  
 F: 610-857-2986  
 graphics@uticom.net  
 www.uticom.net

Part # U18338YB-EG-LEGEND  
 U2400EG Material  
 Phase Markers with 6 slots  
 All graphics print reflective yellow  
 on black background.

© Uticom Systems Inc. 2014  
 Proprietary and confidential information contained in this drawing is property of Uticom Systems Inc. and is only intended to be viewed by the end user or authorized distributor. Any reproduction in part or as a whole is strictly prohibited unless approved in writing by Uticom Systems, Inc.

Please review this drawing for accuracy. Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



U18338YB-EG-A



U18338YB-EG-B



U18338YB-EG-C



U18338YB-EG-1



U18338YB-EG-2



U18338YB-EG-3



U18338YB-EG-X



U18338YB-EG-Y



U18338YB-EG-Z

**U2400EG Material:** 0.015" UV Grade Polycarbonate, surface laminated with 3M™ Engineer Grade reflective sheeting, surface printed using automotive grade solvent based ink, utilizing a 158 mesh silk screen.  
**Durability:** Minimum lifetime exterior durability of 20-25 years. Defective materials will be replaced at no charge.




109 Independence Way  
 Coatesville, PA 19320  
 P: 610-857-2655  
 F: 610-857-2986  
 graphics@uticom.net  
 www.uticom.net

Part # U18338YB-P-LEGEND  
 U2400P Material  
 Phase Markers with 6 slots  
 All graphics print reflective  
 yellow on black background.

© Uticom Systems Inc. 2014  
 Proprietary and confidential information contained in this drawing is property of Uticom Systems Inc. and is only intended to be viewed by the end user or authorized distributor. Any reproduction in part or as a whole is strictly prohibited unless approved in writing by Uticom Systems, Inc.

Please review this drawing for accuracy. Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



U18338YB-P-A



U18338YB-P-B



U18338YB-P-C



U18338YB-P-1



U18338YB-P-2



U18338YB-P-3



U18338YB-P-X



U18338YB-P-Y



U18338YB-P-Z

**U2400P Material:** 0.015" UV Grade Polycarbonate, surface laminated with 3M™ 3430 Prismatic reflective sheeting, surface printed using automotive grade solvent based ink, utilizing a 158 mesh silk screen.  
**Durability:** Minimum lifetime exterior durability of 20-25 years. Defective materials will be replaced at no charge.